PM RD RCH

952605 FTRU CH

OPERATOR PLEASE DISTRIBUTE THIS TELEX AT YOUR LOCATION ACCORDING TO THE FOLLOWING LIST:

NR. B.B. BROOKS - PME EEC LAUSANNE
NR. S.C. DARRAH - PME EEC LAUSANNE
NR. M.D. HORST - PME EEC LAUSANNE
NR. J.B. ROBINSON - PME EEMA LAUSANNE
NR. F.H. DULLES - PME EEMA LAUSANNE
NR. G.C. ADKINS - PM NY
NR. L. POLLAK - PM NY
NR. A. PALMER JR - PM RICHMOND

NEUCHATEL 26TH JUNE, 1985

SUBJECT : STRATEGIES, BARCLAY

IN ORDER TO ASSURE THAT WE ARE ALL ON THE SAME WAVELENGTH WITH REGARD TO OUR STRATEGIES ON THE BARCLAY ISSUE, I WOULD LIKE TO SUMMARISE THE SUBJECT AS I BELIEVE IS OUR COMMON VIEWPOINT. SHOULD YOU DISAGREE PLEASE LET ME KNOW.

THE ESSENCE OF THE BARCLAY TECHNOLOGY, I.E. THE ACTRON FILTER TECHNOLOGY, IS THE UTILISATION OF BY-PASS VENTILATION CHANNELS AT THE PERIPHERY OF THE FILTER WHICH ARE PARTIALLY OR TOTALLY OBSTRUCTED WHEN THE CIGARETTE IS HELD BETWEEN THE LIPS OF A SMOKER, THE CIGARETTE THUS YIELDING HIGHER QUANTITIES OF SMOKE CONSTITUENTS THAN COULD BE EXPECTED FROM DETERMINATIONS MADE WITH A CONVENTIONAL HOLDER ON A SMOKING MACHINE.

SUCH A TECHNOLOGY CONFERS AN UNFAIR ADVANTAGE TO THE PRODUCT IF CONVENTIONAL STANDARD TESTING IS TAKEN AS THE BASE FOR PRODUCT COMPARISON BECAUSE THE CONSUMER WRONGLY ASSOCIATES THE RELATIVELY HIGH TASTE INTENSITY, WHICH IS LINKED TO THE HIGHER SMOKE DELIVERY OF THE CIGARETTE IN HIS MOUTH, WITH THE LOW STANDARD MACHINE DELIVERIES INDICATED ON PACKS AND POSSIBLY ON ADVERTISING.

IT WAS THEREFORE OUR STRATEGY TO INTERVENE IN ALL MARKETS OF IMPORTANCE WITH AUTHORITIES, THROUGH COURTS OR BOTH, OR WITH STANDARDISING ORGANISATIONS IN ORDER TO RECTIFY THE SITUATION SO THAT CONSUMER INFORMATION IS CORRECT AND THE UNFAIR ADVANTAGE OF BARCLAY OVER OTHER PRODUCTS REMOVED.

FULLY REALISING THAT WE MIGHT NOT BE SUCCESSFUL IN ALL MARKETS BECAUSE OF INEFFICIENT GOVERNMENT ADMINISTRATIONS, OR OF CIVIL SERVANTS WHO LACK INITIATIVE AND A FAIR APPROACH TO THEIR JOB, OR BECAUSE OF OTHER UNFAVOURABLE

Source: https://www.industrydocuments.ucsf.edu/docs/rmjx0000

087605 FTRU CHO PM RD RCH

34T MEUCHATEL HOSIUS *M LAWTEH

KIND BECHBOR HAD BERL MIRHER'

SIKHCECA HCHINƏL BUKCFUA.

THIS IS WHY WE CONTINUE TO PURSUE THE DOUBLE PRONGED

ºSN OL OTHERS) ARE ENVISHED THAT THIS TECHNOLOGY MUST BE APAILABLE BRODUCTION OF SALES WEIGHTED SHOKE DELIVERIES (TAR. INDEX OR ADVANTAGE ON THE MARKET, PARTICULARLY IF FURTHER PRESSURE ON REMEDY THE SITUATION, SUCH A TECHNOLOGY MOULD CARRY SUCH AN VENTILATED CIGARETTE\$ IS TOO CUMBERSOME AND DO NOTHING TO THAT HODING ADDITIONAL TESTING PROCEDURES FOR CHANNEL THE RUTHORITIES IN A MAJOR MARKET CONVENIENTLY TAKE THE VIEW LHIS RECOND FINE OF DEFENSE IS WERY IMPORTANT BECAUSE SHOULD

Webberconting__

RABAECL : SIKWIECIES+ BUKCHWA

MENCHULER SELH TAME' 1882 -

WE BE BUCKER 18

DN BICHWOND

*7 *8W AN Wd POLLAK

SNIXOU "O"9 "WW AN Wd

BANE EEMB LAUSBANE SBITING "H" B "NUFFER

BME EEMB FBNSBMME WE' 7'8' KOBINZON -

T890H #C.M #AM BME EEC CHOSHNE

HUNNUT "O"S "NW BWE EEC CHOSHNAE

SX0088 *8*8 *8W

BWE EEC CHOSHNNE

SCCORDING 10 THE FOLLOWING LIST:

OPERATOR PLEASE DISTRIBUTE THIS TELEX AT YOUR LOCATION

APSPOR ELKO CH

PM RD RCH BCB 10N Je 0421+ LHIS SECOND FINE OF DEFENSED

.balfib wobbis lechnorocies *ONFENT ABOVE THE STATE-OF-THE-ART, IN PARTICULAR OUR OWN

Source: https://www.industrydocuments.ucsf.edu/docs/rmix0000